
AUTOPSY REPORT ADULT FORM PROTOCOL

I performed an autopsy on the body of



No.

Bennington, Check

Los Angeles, California	on 7-21-17 1040
From the anatomic findings (A) HONG TO OR AS A CONSEQUENCE OF	and pertinent history I ascribe the death to:
(B) DUE TO OR AS A CONSEQUENCE OF	
(C) DUE TO OR AS A CONSEQUENCE OF	
(D) OTHER CONDITIONS CONTRIBUTION	G BUT NOT RELATED TO THE IMMEDIATE CAUSE OF DEATH
Anatomical Summary:	
	☐ As listed below ☐ See form #16 under gross impressions
).	Hang;ng
	A) Belt ligature on neck B) Rare conjunctival petechnie C) Ligature mark on neck D) Hemorrhage of left sternomes toid muscle
	B) Rare conjunctival petechine
	() Ligature mark on neck
	D) Hemorrhage of left sternomes toil muscle
2	History of saidal ideation

page 2 of 17

Benning Jan Chaster


IF A TRAUMA CASE S	
Injury date:	7-20-17 Hospital Date(s):
CIRCUMSTANCES:	See Investigator Report form #3 As listed below Source:
EXTERNAL EXAMINAT	ION: ified by toe tags and is that of an unembalmed embalmed refrigerated,
⊠ adult	female Asian
elderly	male Black Caucasian
teenage	Hispanic
<u> </u>	
who appears	age of 4) years. older than the reported the reported younger than the reported
	inches and is cachectic. inches and is cachectic. poorly nourished. thin.

The skin is free of abrasions, bruises, lacerations, scars and burns. or
neck, with a point of suspension behind
the right ear.
Wrist scars are Absent.
Tattoo(s) are: not present. **Spresent and identified as fish skeletons and flames on the arms. "CBTB" with a flower on the clost, a dragon with "LINKIN PARK" on the back, a
Rigor has presumably been altered/abolished. Rigor mortis is present Livor mortis is fixed and in the legs. Abun dant Tardieu spets
The head is normocephalic and covered by black hair. partly covered by blond brown red red gray
There is
Mustache is absent/present. Beard is absent/present and described as
Examination of the eyes reveals
Irides that appear to be brown in color and sclerae that are
Corneal removal (eye bank).

There are no petechial hemorrhages of the conjunctivae of the lids and/or the sclerae. The oronasal passages are unobstructed.

□ Lower □ Upper □ Upper □ Upper and lower □ Upper and lower □ Description □ partly absent and uncompensated. □ present.
Denturés are:
the neck is unremarkable/or shows a ligature abrasion corresponding to the both.
There is is no chest deformity. There is no an a mildly increased anterior-posterior diameter.
The abdomen is distended. flat. not unusual. obese. scaphoid. The genitalia are those of an adult femalexmale The external genitalia are without trauma or lesions.
The extremities show no edema, joint deformity, abnormal mobility, non-therapeutic punctures or needle tracks. or
EVIDENCE OF THERAPEUTIC INTERVENTION:
There is no evidence of any previous recent hospitalization. The following are present and are in proper position: Airway mouth piece Central intravenous lines EKG Pads Endotracheal/nasotracheal tube Esophageal obturator Intravenous lines Nasogastric/orogastric tube Urinary catheter Other

page 5 of 17




<pre></pre>
Brown arc shaped paddle marks over the chest. Rib fracture located at Serosanguineous pericardial fluid. Signs of intracardial injections. Focal areas of red hemorrhage in the posterior wall of the left ventricle.
There is evidence of old surgery. Scars are present at the and the following organs are missing: 1.
2.
3.
There has has not been post mortem intervention for organ procurement which can be
described as
EVIDENCE OF EXTERNAL TRAUMATIC INJURY:
Diagrammed on form(s) # 22
CLOTHING: The body

Adid not see the clothing.

inspected the clothing.

☐ is clothed

was not clothed



The clothing can be described as
INITIAL INCISION:
The body cavities are entered through
★ The standard coronal incision. ★ The standard "Y" shaped incision. Additional incisions are
No foreign material is present in the mouth, upper airway and trachea. EVIDENCE OF INTERNAL INJURIES:
Diagrammed on form(s) #
NECK:
The neck organs are are not removed en bloc with the tongue. No lesions are present

nor is trauma of the gingiva, lips or oral mucosa demonstrated. There is no edema of


hemorrhage is present in the adjacent throat organs, investing fascia, strap muscles,
There is hemorrhage of the left stemp mastad muscle.
thyroid or visceral fascia. There are/are no prevertebral fascial hemorrhages. The

the larynx. Both hyoid bone and larynx are intact and without fractures. No

tongue when sectioned shows no trauma/or _

ADULT FORM PROTOCOL

page 7 of 17



The right/left(both) pleural cavity/cavities contain(s) no fluid bleed, or adhesions/or
Blood
Fluid measuringcc RT LT
No tension pneumothorax is demonstrated. The parietal pleurae are intact.
The lungs are poorly expanded. voluminous. well-expanded.
Soft tissues of the thoracic are well-preserved.
and abdominal walls have early/late postmortem softening,
discoloration and crepitation.
The subcutaneous fat of theabdominal wall measures Breasts are examined and sectioned in usual manner and show no abnormalities/ or The organs of the abdominal cavity have a normal arrangement and none are absent. There is no fluid collection. The peritoneal cavity is without evidence of peritonitis. There are no adhesions.
SYSTEMIC AND ORGAN REVIEW
The following observations are limited to findings other than injuries, if described above.
MUSCULOSKELETAL SYSTEM:
No abnormalities of the bony framework or muscles are present. ☐ Kyphosis/scoliosis ☐ Wasting ☐ Other

CARDIOVASCULAR SYSTEM:

The aorta is <u>elastic/fairly elastic/inelastic</u> and of even caliber throughout with vessels distributed normally from it.

The abdominal/thoracic aorta has discrete plaques that are not elevated. plipid streaking. minimal/moderate/severe atherosclerosis.					
There is no tortuosity or widening of the thoracic segment. The abdominal aorta h	as				
diffuse extensive focal intimal calcification marked minimal ulceration and/or moderate mo	·				
There is is no dilation of the lower abdominal segment. No An intact aneurysm is					
present measuring cm. The major branches of the aorta show no abnormal	ıcy.				
Within the pericardial arecc. offluid.					
Dels a minimal amount of serous nutu.					
The heart weighs 970 grams. It has					
	E .				
The chambers are normally developed and are without mural thrombosis. The valves	are				
thin, leafy and competent or/					
Circumference of valve rings are: T.V. cm A.V. cm P.V. cm M.V. cm					
There is are endocardial hemorrhages of hemoglobin staining of the endocardium. no endocardial discoloration.					
There is/are infarct(s) of the myocardium.					
☐ is are no					

There is/is no	atr	ormality ophy orrhagic ne rosis rring	crosis	of the apices	of the papillary musculature.		
There are/are n	defect	s of the se	ptum.	The great vessel	s enter and leave in a normal		
fashion.							
Į 🗵		cannot be probed. is obliterated. is widely patent.					
			measur	es	·		
The coronary os	tia						
			t coronary artery is the dominant vessel. th coronary artery is the dominant vessel. s a balanced pattern of coronary artery distribution. s a normal pattern of coronary artery distribution.				
There (S) are	Yare			atherosclerosis atherosclerotic plaque(s) With with to 25 % with mild to moderate without with severe			
occlusion of the stenosis			(anterior descending branch of the left coronary artery.] circumflex branch of the left coronary artery.] left/right coronary artery.] major coronary arteries.				
No focal endoca heart and large					seen. The blood within the		
RESPIRATORY SYS	TEM:						
An extremely large amount of Considerable Moderate No Scant			☐ blood is ☐ bloody fluid is ☐ edema is ☐ exudate is ☐ gastric material is ☐ glairy fluid is ☑ secretions are				
found in the		_	er bronchial er respiratory	passages.			

The mucosa	<pre></pre>						
The lungs are atelectatic crepitant emphysematous subcrepitant The left lung weight The right lung weight							
The visceral pleurae	are punctured. are scarred. are smooth and intact. are thickened. contain marginal blebs.						
The parenchyma is	congested. congested and edematous. hemorrhagic. nodular.						
Thromboemboli are	ulature is without thromboembolism. Vare not present in the distal tertiary branches. are not present in the extrapulmonic portions of the pulmonary						
GASTROINTESTINAL SYST	EM:						
The esophagus (is) ha	corrosion. intact throughout. terminal postmortem erosion. ulceration. varices.						
The stomach is is not	distended by It						
	of clear fluid.						
The mucosa 15)	stact without hemorrhage or ulceration.						

page 11 of 17

Portions of tablets and capsules cannot be discerned in the stomach.				
Residual medication materials seen in the stomach				
The small intestine and colon are opened along the anti-mesenteric border and No Mucosci esions are present.				
The small intestine and colon are examined by inspection, palpation and multiple				
incisions and				
·				
The appendix is present/absent surgically.				
The pancreas occupies a normal position. There is no early autolysis.				
trauma.				
the state of the s				
The parenchyma is lobular and firm. The pancreatic ducts are/are not ectatic and there is no parenchymal calcification.				
HEPATOBILIARY SYSTEM:				
The liver weighs 1900 grams,				
is enlarged. and is red-brown.				
☐ is smaller than normal ☐ yellow-tan.				
The capsule is and the consistency of firm. the parenchyma is greasy.				
☐ thickened ☐ increased in resistance. ☐ soft.				
The cut surface is macronodular. There is a normal lobular arrangement. acute passive congestion.				
smooth.				

ADULT FORM PROTOC	COL			CC#	
page 12 of 17				Bennington,	Chester
The gallbladder	is absent.	The wal		thickened and rigid thin and pliable.	1.
It contains	☑ <u>~5</u> cccc	of bile	and	☐ calculi which a ☐ mixed. ☐ pure. ☑ no calculi.	ire
There is no obstr	uction or dilation	of the extra	hepatic du	cts. The periporta	al lymph
nodes are <u>enlarge</u>	d/not enlarged.				
URINARY SYSTEM:					
The left kidney w	eighs 170	grams. The	right kidr	ney weighs 200	grams.
The kidneys are n	ormally situated an	d the capsul	es strip é	asily/with difficult	
revealing a surfa	ce that isS	mooth a	nd d	arti red.	
•					
The pyramids <u>are</u>	ary demarcation is are not remarkable.	□ obs	lvic fat <u>i</u>	ongestion. s/is not increased. ir normal course.	. The
bladder is	contracted. It distended. trabeculated. unremarkable.	contains	damber brown hemory no urine	cloudy	urine.
The urine is is n	ot tested by the di	pstick metho	d and the	results are	
GENITAL SYSTEM:	(Cross or X out or	ne - fill in t	he other.)		
Female:					
The uterus is					
asymmetrical surgically abs	sent as are adnexa	and the ut	erine osvi	enlarged not enla	

The fallopian tubes are unremarkable/or
The endometrium is
The cervix and vagina have a normal appearance for the age.
The ovaries are cystic. large. nodular and solid. not identified. small and atrophic. normal for the age.
Male:
The prostate is enlarged. Without enlargement or nodularity.
Both testes are in the scrotum are unremarkable and without trauma/pr
HEMOLYMPHATIC SYSTEM:
The spleen weighs 170 grams and is enlarged/of average size.
The capsule isintactlaceratedsmoothwrinkled. The parenchyma issdark redsfirmmushypale.
There is an mod increased follicular pattern.
☑ Lymph nodes throughout the body are small and inconspicuous. ☐ There is generalized lymph node prominence and enlargement. ☐ There is focal enlargement of lymph nodes in the following areas:
The bone is brittle not remarkable.
The bone marrow of the vertebra rib is red and moist. the usual appearance for the age.

page 14 of 17


CC#		
Ben	ning ton	Chester
name	7	,

ENDUCKINE SISIEM.	ENDOCR	INE	SYSTEM:
-------------------	--------	-----	---------

The thyroid is decreased in size. decreased in size. denlarged. decreased in size. denlarged. decreased in size. denlarged. decreased in size. denlarged.
ine personiace desired and more recommendations
The adrenals are atrophic. autolyzed. hemorrhagic. intact without necrosis or hemorrhage. necrotic. unremarkable.
Thy thymus is not identified. and weighsgrams. The usual appearance for the age. unremarkable.
The pituitary gland is of normal size unremarkable.
SPECIAL SENSES:
The eyes are are not dissected. The middle and inner ear are are are not dissected.
HEAD AND CENTRAL NERVOUS SYSTEM:
There is/s no subcutaneous and/or subgaleal hemorrhage in the scalp. The hemorrhage
does/does not extend into the orbits, and/er the temporal muscles. The external
periosteum and dura mater are stripped showing no fractures of the calvarium or base of
the skull. There are no tears of the dura mater. There is/is no epidural, subdural,
or subarachnoid hemorrhage
•
The brain weighs 1530 grams. The leptomeninges are thin and transparent. A


The brain weighs | 570 grams. The leptomeninges are thin and transparent. A normal/flattened convolutionary pattern is observed. Coronal sectioning demonstrates a uniformity of cortical gray thickness. The cerebral hemispheres are symmetrical. There is no softening, discoloration, or hemorrhage of the white matter. The basal ganglia are intact. Anatomic landmarks are preserved. Cerebral contusions are fare not present.

page 15 of 17




The ventricular syste	m ☐ has a normal appear Mis symmetrical ☐ is unremarkable	rance without dilat distortion.	ion and/or
Pons, medulla and cere	bellum are unremarkable.	There is no evidence	e of uncal or
cerebellar herniation.	Vessels at the base of	the brain have a nor	mal pattern of
distribution. There a	re no aneurysms. The cr	anial nerves are inta	act, symmetrical, and
normal in size, locati	on and course.		
The cerebral arteries	Mare without arteri □ have advanced/mild	osclerosis.	ercation.
SPINAL CORD:			
The entire cord is A segment of cervical lumbar thoracic spinal cord is exam	is not dissected.	a/or	
The spinal fluid is	clear.		
NEUROPATHOLOGY: The brain and/or spina	ol cozd is placed in form	alin solution for fu	other fixation and
later examination.			
HISTOLOGIC SECTIONS:			
Representative section	s from various organs ar	e preserved in one to	vo/three storage
jar(s) in 10% formalin	. Sections of		
		are s	ubmitted for slides.
The slide key is		<u>↓</u>	·
TOXICOLOGY:			
<pre> Bile Blood Liver tissue Stomach contents Urine Vitreous humor </pre>	have been submitted to the lab.	A comprehensive A homicide A traffic A drugs of abuse No	screen was requested. With Zolpidem.

page 16 of 17



SPECIAL PROCEDURES:	
Biopsies of Cultures of	have been submitted to the lab.
Anesthesiology Anthropology Criminalistics Odontology Ophthalmology Pulmonary Surgical	ed.
PHOTOGRAPHY:	
☐ At scene photos <u>are/are not</u> available. ☐ No photos are taken. ☐ Photographs have been taken prior to <u>and/or during the course</u>	e of the autopsy.
RADIOLOGY:	
☐ The body is fluoroscoped ☐ ☐ No x-rays are obtained. ☐ The body is fluoroscoped and x-rays are taken of the head/che	est/
WITNESSES:	
None □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	of
DIAGRAMS USED: Diagram form(s) #	were used
during the performance of the autopsy. The diagrams are not in	ntended to be facsimiles

page 17 of 17



OPINION:					
Autoray	findings &	ive char	noteristic	of suicido	
hanging. Th	ner was	history	of suic	idal idecition	1
				140004	
SIGNATURE RESIDENT IN PATHOLOGY	ř	PRINT DATE:	NAME		-
			Christop	her Rogers	
SIGNATURE DEPUTY MEDICAL EXAMIN	NER	PRINT DATE:	NAME /	21-17	_

COMMON ABBREVIATIONS

Abnormal Ab = Abrasion Abr AM Ante Mortem ΑV Aortic Valve

= And & В = Blood = Black Blk = Blue Blu Brn Brown

Congestion/Contusion С

CT Chest Tube D = Direction = Diagnosis Dχ **Ecchymosis** Е

Epidural Hemorrhage EDH **Exclusive of Trauma** EOT

= Entrance En

= Endotracheal Tube ETT

Exit Ex Q = Female

FΡ Fresh Puncture

Fχ = Fracture = Green Grn Gray Gry

GSW **Gunshot Wound** Hemorrhage н Hzl = Hazel

= Incision

ICS Intercostal Space

Intracranial Pressure Monitor ICP

IVL Intravenous Line

Left Anterior Descending Coronary Artery LAD

Lat Lateral

Left or Laceration L LOM = Left of Middle LV = Left Ventricle

∂ = Male

= Middle or Midline M MV Mitral Valve

NGT = Nasogastric Tube No Pathologic Diagnosis NPD = Needle Puncture Wound NPW NTFP = No Evidence of Any Significant Trauma or Foul Play

= Normal NL = Not Examined NE NW Not Weighed # = Number Ø = Negative or No

OS = Old Scar

= Pictorial or Path Р PER = Pupils Equal & Round

PM = Post Mortem PV Pulmonic Valve 0 Quadrant

R Right

ROM Right of Middle RV Right Ventricle Treatment Rx

S Scar

SAH = Subarachnoid Hemorrhage Subdural Hemorrhage SDH SGH Subgaleal Hemorrhage

Sh = Shaved SP Status Post

 Soft Tissue Hemorrhage STH

= Stab Wound SW = Top of Head TOH TV Tricuspid Valve W Wound

Well Developed, Well Nourished WDWN =

С With = Without

= Within Normal Limits WNL

WT = Weight

M.D.

Deputy Medical Examiner

(Rev. 9/13)

Deputy Medical Examiner

COUNTY OF LOS AN	VGELES		MEDICAL REP	ORI D	EPARTMENT OF MEDIC	AL EXAMINER-CORONER
	AUTOPSY C	CLASS: 🔂 A 🔲 B 🗓	C Examination Only	D		
	☐ FAMILY C	BJECTION TO AUTOF	SY			
	Date: 7-	2117 1040	Romane		2017-	
	Date:	21-17time: 1040 [(Print)	APPROXI-	BENNINGTO	N CHESTED
	FINAL ON:	7-21-17	ly: Rogers	MATE INTERVAL BETWEEN	SUI	62
DEATH WAS CAU	 JSED BY: (Er	nter only one cause per	(Print) J line for A, B, C, and D)	ONSET AND DEATH		
IMMEDIATE CAUS				DEATR		3
(A) []	rangin	0		Mins	Age: 🖳 Gender: (M	
DUE TO, OR AS A	CONSEQUENC	CE OF:		1 11/2		ON REVIEW BY DME
(B)		-		◀	BODY TAG	FLUORO
DUE TO, OR AS A	CONSEQUEN	CE OE			SPECIAL PROCESSING TA	
(C)		or or		◀	AT SCENE PHOTOS (N	
DUE TO, OR AS A	CONSECUENT	CE OE:	·		□ EMBALMED	UMSTANCES
(D)	CONSEGUEIA	OL OF.		\blacksquare	DECOMPOSED	
, ,					>24 HRS IN HOSPITAL	
OTHER CONDITIO	NS CONTRIBL	JTING BUT NOT RELATED	TO THE IMMEDIATE CAUSE	OF DEATH:	OTHER:	(Reason)
					TYPING SPECIMEN TAKE	SPECIMEN EN BY:
☐ NATURAL	_	☑ SUICIDE	☐ HOMICID	E	I	Part
						GY SPECIMEN
ACCIDEN		T COOLD NO	BE DETERMINED		COLLECTED BY:	
If other than natur		للدي	1 14		M HEART BLOOD	STOMACH CONTENTS
HOW DID INJUR	Y OCCUR?	with	barc		FEMORAL BLOOD	VITREOUS
					BLOOK	D SPLEEN
WAS OPERATION	N PERFORM	ED FOR ANY CONDITI	ON STATED ABOVE: Y	ES NO	BLOOK	KIDNEY
TYPE OF SURGE	RY.		DATE:		☑ LIVER	
		TECHNICIAN:			URINE URINE URINE GLUCOSE DIPSTICK	RESULT: 4+ 3+ 2+ 1+ 0
PREGNANCY IN		_		CABLE	TOX SPECIMEN RECONG	n c
☐ WITNESS TO			OVERED AT AUTOPSY	O, IBLE	HIST	OLOGY
	A010101	Item Description	1:			Oversize (No)
			Belt		Histopath Cut: Autop	
						GY REQUESTS
					FORM 3A: ☑ YES □ N □ NO TOXICOLOGY F	
					SCREEN SC H	□T □S □D
					☐ ALCOHOL ONLY ☐ CARBON MONOXIE	DE
					OTHER (Specify drug	
					Zolpiden	
					REQUESTED MATERI	AL ON PENDING CASES
					POLICE REPORT	MED HISTORY
					TOX FOR COD	☐ HISTOLOGY☐ INVESTIGATIONS
					MICROBIOLOGY	EYE PATH, CONS.
					RADIOLOGY CONS.	
					CONSULT ON:	
					□ NEURO CONSULT	☐ DME TO CUT
DECIDENT			45	7	☐ CRIMINALISTICS ☐ GSR ☐ SEXUAL A	ASSAULT DOTHER
RESIDENT	-	DI	ME /	,	T G GOLL G GEYOYEY	MOCAULI GOINER

16

1-LT02

A STATE OF SECTION ASSESSMENT

BENNINGTON, CHESTER

P5

Sex Male

Race Caucasian

Age 41 Height 69

Weight167 Hair Brown

Eyes Brown Sclera Few perechiae

Teethn Mouth

Tongue

Noma Nose

Chest Breasts

Abdomen. Scar- Nove

Genitals - Ciramised

RV

LV

Septum

Septum

Edema Skin Decubitus)

HEART Wt. 470

Pericardium-

Hypertrophy Dilation

Muscle

Valves

Coronaries 1 of LAD

AORTA VESSELS Named

LUNGS Wt. R 720

L 540

Adhesions 7

Fluid

Atelectasis Oedema

Congestion

Consolidation

Bronchi

Nodes PHARYNX

TRACHEA

THYROID THYMUS

LARYNX

DIOYH ABDOMINAL WALL FAT **PERITONEUM**

Fluid Adhesions

LIVER Wt. 1900

Capsule -Lobules

Fibros G B

Calculus Bile ducts

SPLEEN Wt. 170

Color

Consistericy Capsule

Malpigment None

PANCREAS ADRENALS

KIDNEYS Wt. R 200

L 170

Capsule-Cortex

Vessels Pelvis

Ureters > BLADDER 40 9

ninimal atheroscher GENITALIA

Prostate^{*} Testes

Uterus-

T-ubes **Gyaries**

OESOPHAGUS Nornal

STOMACH

Contents 909m Fluid

DUOD, & SM. INT.

APPENDIX LARGE INT.

ABDOM, NODES

SKELETON

Spine Marrow

Rib Cage Long bones

Pelvis

SCALP CALVARIUM BRAIN Wt. 15 Dura

Fluid Ventricles Vessels

Middle eats Other **PITUITARY**

SPINAL-CORD

TOXICOLOGY SPECIMENS

Blood bile liver, stomach contents wither vitrens

SECTIONS FOR HISTOPATHOLOGY

Stockilar

MICROBIOLOGY

DIAGRAMS 20, 22

X-RAYS

OTHER PROCEDURES

GROSS IMPRESSIONS

See Form 12

Date

7-21-1-

Time

1210

Deputy Medical Examiner



Department of Medical Examiner-Coroner, County of Los Angeles

FORENSIC SCIENCE LABORATORIES



Laboratory Analysis Summary Report

Rogers, Christopher M.D.

Deputy Medical Examiner

PendingTox

The following results have been technically and administratively reviewed and are the opinions and conclusions of the Analyst:

Coroner Case Number: 2017- Decedent: BENNINGTON, CHESTER CHARLES

SPECIMEN	SERVICE	DRUG	RE	<u>SULT</u>	<u>ANALYST</u>
Blood, Femor	ral				
,	Alcohol-GC/FID-HS	Ethanol	0.054	g%	S. DeQuintana
Blood, Heart					
	Alcohol-GC/FID-HS	Ethanol	0.053	g%	S. DeQuintana
	Bases-GC/NPD &/or MS	Zolpidem		ND	B. Ciullo
	ELISA-Immunoassay	Barbiturates		ND	J. Gadway
	ELISA-Immunoassay	Cocaine and Metabolites		ND	J. Gadway
	ELISA-Immunoassay	Fentanyl		ND	J. Gadway
	ELISA-Immunoassay	Methamphetamine & MDMA		PP	J. Gadway
	ELISA-Immunoassay	Opiates: Codeine & Morphine		ND	J. Gadway
	ELISA-Immunoassay	Opiates: Hydrocodone & Hydromorphone		ND	J. Gadway
	ELISA-Immunoassay	Phencyclidine		ND	J. Gadway
	Sympath. Amines-GC/MS	Amphetamine		ND	D. Levanas
	Sympath. Amines-GC/MS	Methamphetamine		ND	D. Levanas
	Sympath. Amines-GC/MS	Methylenedioxyamphetamine (MDA)		ND	D. Levanas
	Sympath. Amines-GC/MS	Methylenedioxymethamphetamine (MDMA)		ND	D. Levanas
Urine					
	Sympath. Amines-GC/MS	Amphetamine		ND	D. Levanas
	Sympath. Amines-GC/MS	Methamphetamine		ND	D. Levanas
	Sympath. Amines-GC/MS	Methylenedioxyamphetamine (MDA)		ND	D. Levanas
	Sympath Amines-GC/MS	Methylenedioxymethamphetamine (MDMA)		ND	D. Levanas
Vitreous					
	Alcohol-GC/FID-HS	Ethanol	0.059	g%	\$ DeQuintana

Report Date: Wednesday, September 06, 2017

Laboratory Accreditation: ASCLD/LAB-International Testing

Page 1 of 2

Coroner Case Number: 2017-Decedent: BENNINGTON, CHESTER CHARLES

SPEC	IMEN SERVICE		DRUG		RESULT ANALYST
Leger	ıd:	mg/dL	Milligram per Deciliter	PP	Presumptive Positive
g	Grams	mg/L	Milligram per Liter	QNS	Quantity Not Sufficient
g%	Gram Percent	ND	Not Detected	ug	Micrograms
lnc.	Inconclusive	ng/g	Nanograms per Gram	ug/g	Micrograms per Gram
mg	Milligrams	ng/mL	Nanograms per Milliliter	ug/mL	Microgram per Milliliter

In accordance with the Department's Evidence Retention Policy, the blood specimen(s) will be retained for one-year and all other specimens for six-months from Autopsy.

Administratively reviewed by:

Sarah Buxton de Quintana, Senior Criminalist TOXICOLOGY



Report Date: Wednesday, September 06, 2017 Laboratory Accreditation: ASCLD/LAB-International Testing

Page 2 of 2

COUNTY OF LOS A	NGELES					CASE	REPORT					DEPARTMENT OF	CORONER
_	APPARI	ENT MODE	CI II	CIDE								CASE NO	
4	PREAM	L CIRCUMSTAN		CIDE						100.00		2017-	
												CRYPT	
•	Med	ia Interes	st										
LAST, FIRST MIDDLE								AKA				#	
BENNIN	GTO]	N, CHI	EST	ER CH	ARLE	S						**	
ADORESS								CITY			STATE	7IP	
SEX RACE	DO	00	AGE	HGT	WGT	EYES	HAIR	TEETH		FACIAL HAIR	ID VIEW	CONDITION	
MALE CAUCA		3/20/1976	41	69 in.	167 lbs.	BROWN	BROWN	ALL NATU	JRAL	UNKNOWN	Yes	FAIR	
MARK TYPE		LOCATION		ARK DESCRIPTION									
TATTOO		V BACK		INKIN PA		A I C							
TATTOO TATTOO	CHE	H ARMS		ANNERS V ARIOUS IN	VITH INITI/ MAGES	ALS							
NOK	201	II AKWA	*		ADDRESS			CITY			STATE	ZIP	_
RELATIONSHIP			DUG			NOTIFIED BY					D. J. T.		
WIFE			PHO	ONC.		NOTIFIED BY					7/20	7/2017	
SSN					STATE CA	PENDING BY							
ID METHOD FINGERPRINT	S FROM 1	FBI											
LA#		MAIN#		CIII	*		FBI#		MILITAR	RY#	POB		
			100.00										
IDENTIFIED BY NAME	(PRINT)					RE	ELATIONSHIP		PHONE		DATE	TIME	ľ
FBI ONLY						N	ONE				7/2	0/2017 16:4	6
PLACE OF DEATH / PI	ACE FOUND		ADDRE	ESS OR LOCATI	ON					C!TY		ŽIP	
RESIDENCI	3												
PLACE OF INJURY RESIDENCE	_	AT WO	RK I	DATE	TIME	LOCA	TION OR ADDRES	5		20 20		ZIP	
		N	lo							10			
7/20/2017	09:08			FD ENGIN									
OTHER AGENCY INV.	OFFICER				PI	HONE	Ri	PORT NO		NO	TIFIED BY		NO
TRANSPORTED BY							LOS AN	GELES FSC		DATE		TIME	
FINGERPRINTS?	Yes	СГОТНІ	₩G	Yes			PARPT	1000	No	A	IORTUARY		
MED EV	Yes	INVEST	РНОТО#	51			SEAL TYP	€ NOT SI	EALED	, F	OSP RPT	No	
PHYS. EV.	No	EVIDEN	CE LOG	Yes			PROPERT	Y? Yes		-	OSP CHART	No	
SUICIDE NOTE	No	GSR NO					RCPT. NO	297171		F	FNO	- 191721	
SYNOPSIS THE DECEDEN KNOWN ALIVI HANGING WIT INTERVENTIO	E ON THI H A LIG	ENIGHT OF	F 07/19 OUND)/2017. ON HI\$ NECK	07/20 AROU IN HIS BEI	JND 0850 H DROOM. PA	OURS HIS F	IOUSEKEEF PRONOUN	PER DI: CED D	SCOVERED H	IM UNRESP	ONSIVE AND	
VANANDA CH	OLAKIAI	VS						DATE	0.001.7	DEMENSES BY		DATE	
604323	CENTAL						TOR	7/2 Tiue 18:0	:0/2017)5			()-2	6-2017



County of Los Angeles, Department of Coroner Investigator's Narrative



Case Number: 2017- Decedent: BENNINGTON, CHESTER CHARLES

Information Sources:
1) Officer A. Belda #731, Palos Verdes Estates Police Department.
2) decedent's employee.
3) decedent's wife.
Investigation:
On 07/20/2017 at 0915 hours Officer Belda reported this apparent suicide death to the Los Angeles County Medical Examiner – Coroner. I was assigned this field case at 0925 hours by Lieutenant Smith. I arrived on scene at 1050 hours. I concluded my field investigation and cleared the scene at 1205 hours. LACMEC Assistant Chief E. Winter and Palos Verdes Estates PD Corporal Robinson #716 were also present on scene. Forensic Attendant J. Killen transported the decedent to the Forensic Science Center.
Location:
Injury and Death:
Informant/Witness Statements:
On 07/20/2017 while on scene I conducted an interview with Officer Belda and he related to me the following information. The decedent was last seen alive by the housekeeper, at his residence at the above location on 07/19/2017 around 2230 hours and nothing out of the ordinary was reported. She left the residence at that time and returned on 07/20/2017 around 0830 hours. Around 0850 hours she discovered him unresponsive and hanging with a ligature around his neck in his bedroom. She dialed 911 and Los Angeles County Fire Department Engine 2 responded. Captain Avedissian pronounced death on scene at 0908 hours without medical intervention. Paramedics removed a prescription bottle from the nightstand and placed it on a dresser. His wife, was notified by was notified by was not from a family vacation in Arizona on the night of 07/19. Was still in Arizona and was en route to Los Angeles after being notified.
On 07/20/2017 while on scene I conducted an interview with and she related to me the following information. She had known and was employed by the decedent for approximately two years. She routinely came to the residence daily and let herself in with a key. On 07/19/2017 the decedent arrived home around 2230 hours while she was in the bathroom. She did not see him enter the house and saw him when he was already upstairs after he had put his bags away. There was nothing out of the ordinary reported about his behavior. She left the residence approximately five minutes later and he told her that he would be leaving for work early the next morning, around 0430 hours. On 07/20 around 0830 hours she arrived at the residence and let herself in with her key. She did not hear anything and assumed he had already left. Around 0845 hours an Uber vehicle pulled into the driveway and she went upstairs to check if he was there. He did not answer knocks on the door and she let herself into the unlocked bedroom. She discovered him unresponsive and dialed 911. She did not move the decedent or any items in the room.
On 07/20/2017 I conducted a telephone interview with the decedent's wife, and she related to me the following information. The decedent had a history of depression, suicidal ideations, and past suicide attempts. He would have suicidal ideations after consuming alcohol. In 2006 he was consuming alcohol heavily and threatened to commit suicide. He had left their home with a gun and she had to call the police to find him.



County of Los Angeles, Department of Coroner Investigator's Narrative



Case Number: 2017 Decedent: BENNINGTON, CHESTER CHARL

His primary medical doctor was Dr. William Lang. The decedent had been prescribed antidepressants in the past but had not used them in over a year. He also used Ambien occasionally. He was currently in an outpatient treatment program and was supposed to be sober. He flew home from their family cabin in Arizona on the night of 07/19 because he had a work event scheduled for 07/20. She last communicated with him via text message on the night of 07/19 after his plane landed in Los Angeles. She stated the Uber vehicle that arrived on 07/20 was sent by the band management. She stated the journal found on the nightstand was one he maintained for his outpatient treatment program. She also stated that she did not find a suicide note in his phone. I also asked her about the fingernail pieces and she stated that he often does that when anxious.

Scene Description:

The scene was the upstairs bedroom in a home located at the above location. The decedent was observed hanging with a ligature around his neck. The ligature was a black leather belt with a metal buckle engraved with "Hugo Boss". The belt was looped around the decedent's neck then through the buckle, before extending up towards the door frame. The belt passed between the top edge of a door and the door frame. The buckle was at the posterior of the decedent's neck. The height of the door frame was 65 inches. From the floor to the level of the buckle at the decedent's neck was 48 inches. The ligature measured from the buckle at the neck to the tip of the belt was 28 inches. In the decedent's front left pocket was an American Airlines folded boarding pass in his name for flight 640 from Phoenix to Los Angeles. In his front right pocket were coins.

To the left of the decedent was a nightstand on top of which was an iPhone that was password protected. The passcode was required to enable Touch ID. Underneath the phone there were multiple fingernail pieces. The door of the nightstand was ajar. There was another iPhone (or iPod) inside the nightstand but it was powered off. The lamp on the nightstand was powered on. There were also fingernail pieces on a table attached to a sofa in the bedroom.

On a dresser in the room was a prescription for Zolpidem 10mg containing one tablet broken in half. It was prescribed to was filled on 06/29/2017. It had been removed from the nightstand adjacent to the decedent by paramedics, as reported by Officer Belda. Also on this dresser was a one pint glass bottle of Corona, less than half full.

On the counter of an attached bathroom was an empty glass bottle of Stella Artois, two bottle caps (Stella and Corona), two pairs of glasses, a wallet, and a towel. There was an empty 7-Eleven bag on the floor of the bathroom. There was a gray shirt in the hamper in the bathroom. The trash can in the bathroom was empty.

Also in the bedroom I discovered a journal with handwritten apparent biography that was not dated. There was also a typed apparent biography in another nightstand.

The door the decedent was in front of led to a small room, with two luggage bags on the floor containing clothing and shoes.

Evidence:

On 07/20/2017 at 1140 hours I collected medical evidence from the scene and later booked it into the evidence department at the Forensic Science Center. The ligature was left with the decedent.



County of Los Angeles, Department of Coroner Investigator's Narrative



Case Number: 2017-

Decedent: BENNINGTON, CHESTER CHARLES

Body Examination:

The decedent was an adult Caucasian male observed hanging with a ligature around his neck in the above described scene. His arms were extended straight down. His legs were flexed at the knees with both feet touching the carpeted floor. He was clad in blue jeans, a brown belt that was unbuckled, and black underwear. He had short brown hair, brown eyes, unshaven facial hair, and natural teeth. His tongue was clenched between his teeth and slightly protruding from the mouth. The bottom lip and tip of the tongue were slightly dehydrated. There was thick emesis from the nares and residue of this on the chest. There were no petechiae noted. The decedent had multiple tattoos including: rose with branches and initials on banners on the chest; flames on both forearms; "Linkin Park" on the low back; various image on the back. Rigor mortis observed at 1125 hours was rated a 3 throughout the body. Livor mortis observed at 1128 hours was consistent with the found position, on the distal arms and legs, and blanched with hard fingertip pressure. There were also apparent Tardieu spots on the feet.

Identification:


On 07/20/2017 at 1646 hours, the decedent was positively identified as Chester Bennington (DOB 03/20/1976) by Federal Bureau of Investigations fingerprint comparison. His California Driver License #D6950703 identified him as Chester Charles Bennington.

Next of Kin Notification:
On 07/20/2017 the decedent's wife and legal next of kin, death by their housekeeper. I confirmed notification with telephonically on 07/20/2017.
Tissue Donation:
Family members did not consent to tissue donation by the time of report completion.
Autopsy Notification:
There was no request for autopsy notification.

INVESTIGATOR CHOLAKIANS	SUPERVISOR # 6-20%
#604323	Oderse Kun
03/20/2013	

07/20/2017

Date of Report



SCALE

O ABSENT/NEGATIVE

.

2 .

3 1

EXTREME DEGREE

USE SCALE TO DESCRIBE INTENSITY OF RIGOR MORTIS.

SHADE DIAGRAMS TO ILLUSTRATE THE LOCATION OF LIVOR MORTIS.

DESCRIBE INTENSTIY OF COLORATION AND WHETHER LIVOR MORTIS IS PERMANENT OR BLANCHES UNDER PRESSURE.

CORONER'S INVESTIGATOR

REVIEWED BY

				······································	, ,	1
DEPARTMENT OF CORONER	2017-AME: BENNINGTON, CHESTER CHARL 7/20/2017 DE: Success	Page 1 of 1	Pharmacy Phone/ Comments	PRESCRIBED TO TALINDA BENNINGTON. TABLET BROKEN IN HALF	Investigator: Date: 7/20/2017	
	CASE # 2017- DECEDENT'S NAME: BENNINGTON, DOD: 7/20/2017 INCOMING MODE: &		Physician			
			Ì	<u>u</u>		
MEDICAL EVIDENCE			Rx Directions	1 TAB AT BEDTIME		
			Dosage	10MG		
			Form	TABLET		
			Number Remaining	-		
COUNTY OF LOS ANGELES			Number Issued	90		
			Date of issue	6/29/2017		
		1	Rx Number	0548007115	cription	
	34		Drug Name	ZOLPIDEM	Paraphernalia Description	